

**WM41**

**SWOLLEN  
PICKLE<sup>®</sup>  
JUMBO FUZZ  
MKIII**

**NOW WITH AN EVEN TRIMMER WAIST!**

The Way Huge Smalls Swollen Pickle Jumbo Fuzz concentrates all the potent flavors of its predecessors into a super pedalboard-friendly housing with a simpler interface so that you can plug in and serve up savory saturation in no time at all.

# External Controls



- 1 CRUNCH switch toggles compression intensity
- 2 LOUDNESS knob sets output level
- 3 SUSTAIN knob sets fuzz intensity
- 4 FILTER knob adjusts tone from mellow to bright
- 5 SCOOP switch cuts midrange frequencies
- 6 FOOTSWITCH toggles the effect on/bypass (blue LED indicates effect is on)

## POWER

The Swollen Pickle® Jumbo Fuzz is powered by a single 9-volt battery, a 9-volt AC adapter such as the Dunlop ECB003, or the DC Brick™, Iso-Brick™, and Mini Iso-Brick™ power supplies. The power input is a 5.5mm x 2.1mm jack with the positive voltage on the outer sleeve. Using an external power supply will disconnect the battery. Disconnect the input jack to preserve battery life when not in use.

# Specifications

Input Impedance	> 36 k $\Omega$
Output Impedance	< 26 k $\Omega$
Noise Floor	-82 dBV
Gain	18 dBV - 62 dBV
Bypass	True Hardwire
Current Draw	3 mA
Power Supply	9 volts DC

All measurements made with controls at center. Noise measurements are A-weighted.